Offer 351199

DUPLO DC 615 PRO from 2008

Gatherer Collators

Offer Details

Offer Number	351199
Brand	DUPLO
Model	DC 615 Pro
Manufacturer	DUPLO
Condition	Good
Year	2008
Incoterm	Load On Truck
Cylinders Condition	
Under Power	Yes
Still in production	Yes
Test possible	Yes
Complete and in working condition	Yes
Availability	
Counter	
Machine number	
Description	Standard machine

Technical details

Max. signature size	650x320 mm
Min. signature size	210x210 mm
Power consumption	3 kw
HS Code	84439959 HS Codes Classification of Other

PRICE: Upon request

Images



Duplo DC-615
05/02/2035 16:52


Duplo DC-615
SLITTER/CUTTER/CREASER
05/02/2035 16:52



DC-615
05/02/2035 16:52


Duplo DC-615
SLITTER/CUTTER/CREASER
05/02/2035 16:56


Duplo
INSTRUCTION MANUAL
JOB CREATOR


DC-615 JOB
DC-615 JOB Creator 1.1(win)
DC-615 JOB Creator 1.1(mac)
for
Windows® 2000
Windows® XP Professional/
Home Edition
Windows® Vista™ x86(32bit)
Mac OS® X (PowerPC/Intel)


Duplo
from print to documents
DC-615 JOB Creator
DC-615 JOB Creator 1.1(win)
DC-615 JOB Creator 1.1(mac)
for
Windows® 2000
Windows® XP Professional/
Home Edition
Windows® Vista™ x86(32bit)
Mac OS® X (PowerPC/Intel)
Language Option:
English
French
German
Italian
Polish
Russian
Spanish
日本語
Copyright©2009 Duplo Seiko Corporation
S2-Y1013


pter 5 Specifications
1 Model name DC-615
2 Product category Slitter/Cutter/Creaser (floor stand)
3 Feed 4 Feed tray capacity Belt suction 100mm
5 Infeed Paper size Width : 210 ㎜ ～ 320 ㎜
Length 210 ㎜ ～ 650 ㎜
Standard feed tray covers up to 460mm
For longer sheet, optional long feed tray is available.
6 Minimum finishing size Width 48.6mm
Length 85.0mm
7 Paper type Uncoated paper, coated paper, laminated paper
8 Paper weight 110gsm- 300gsm
Paper curl within +/-3mm With CCD off
9 Speed 8ppm (A4, 2 cut, 1 crease)
10 Slit 6 tools equipped (margin slitter x2, center slitter x 4)
= max 6 slits per document
11 Slit accuracy Finishing size +/- 0.3 mm
(business card : +/- 0.4mm)
12 Margin slit spec 3.2mm- 55.0 from paper side edges
13 Gutter slit 5mm-15mm
Gutter slits wider than above are exited on to exit tray.
14 Gutter deflector Max 2 deflectors per document
Gutter deflector tools must be enabled or disabled manually.
15 Cut Max 15 cuts per document
16 Cut spec Lead Edge Margin : minimum3.2mm
Gutter Cut minimum 4mm
Trail Edge Margin : minimum 5.0mm
17 Cut accuracy Finishing size +/- 0.3mm
(Business card : +/-0.4mm)
Maybe effected by crease numbers.
18 Crease Max 10 creases per document
19 Crease accuracy Finishing size : +/-0.3mm
20 Crease depth adjustment 3 steps (from control panel)