

Offer 379168

HEIDELBERG CD 102-5+LX (2000+) from 2004



5 Color

Offer Details

Offer Number:	379168	
Brand:	HEIDELBERG	
Model:	CD 102-5+LX (2000+)	
Manufacturer	HEIDELBERG	
Condition:	good	
Year:	2004	
Incoterm:	EX Works	
Cylinders Condition:	damage_free	
Under Power:	Yes	
Still in production:	Yes	
Test possible:	Yes	
Complete and in working condition:	Yes	
Availability:	Immediately	
Counter:		
Machine number:		
Description:	ALCOLOR VARIO dampening system<>Autoplate (semi-automatic plate loader)<>Preset Plus in feeder and delivery<>Coater<>CP 2000 Control Center<>Extended Delivery<>IR Infra red dryer<>Automatic blanket and ink roller wash unit	

Technical details

Max. paper size	720×1020 mm
Smallest size	280x420 mm
Image area	700×1020 mm
Speed	15000 sh/h
Width	2290 mm
Height	2170 mm

Weight approx.	40000 kg	
Stock thickness	up to 1 mm	
Colors	5+LX	
HS Code	84431300	
transport by truck	3 full trucks	
transport by sea	3 x 40 ft containers	

PRICE: Upon request

Images









Technical Data		
Printing Stock		1.95 mm (0.08 in)
Thickness	0.03 - 1.0 mm (0.0012 - 0.039 in)	
Max. sheet size	720 x 1,020 mm (28.35 x 40.16 in)	rt plate and pile board)
Min. sheet size	340 x 480 mm (13.39 x 18.90 in)	
Max. print format	700 x 1,020 mm (27.56 x 40.16 in)	1,230 mm (48.43 i
with AutoPlate	710 x 1,020 mm (27.95 x 40.16 in)	
Gripper margin	10 - 12 mm (0.39 - 0.47 in)	1,320 mm (51.97 i
Plates		
Length x width (max.)	770 x 1,030 mm (30.31 x 40.55 in)	1,205 mm (47.44 i
with AutoPlate	790 x 1,030 mm (31.10 x 40.55 in)	
Thickness	0.2 - 0.5 mm (0.008 - 0.02 in)	1,295 mm (50.98 i
with AutoPlate	0.2 - 0.3 mm (0.008 - 0.012 in)	
Plate cylinder		+ 500 mm (19.69 i
Undercut	0.5 mm (0.02 in)	
with AutoPlate	0.15 mm (0.006 in)	
Distance from leading edge of plate to start of printing	43 mm/52 mm (1.69/2.05 in)	
Coating plate cylinder		th Preset Plus feeder and delivery and two delivery extension
Undercut	3.2 mm (0.13 in)	
Length x width of coating plate	780 x 1,030 mm (30.71 x 40.55 in)	6
Length x width of metal-edged coating blanket	800 x 1,048 mm (31.50 x 41.26 in)	15.85 m (624.06 ir
Distance from leading edge of coating plate to start of coating	43 mm (1.69 in)	
Max. coating area	710 x 1,020 mm (27.95 x 40.16 in)	3.31 m (130.31 in)
Blanket cylinder		
Undercut	2.3 mm (0.09 in)	2.17 m (85.43 in)
Length y width of metal-adged blanket	840 v 1 052 mm (33 07 v 41 42 in)	



Contact: +49 172-371-8407 Email: