



Offer 310531

## MKW UT B3 / SFT 350 from 2008

Gatherer Collators

### Offer Details

<b>Offer Number</b>	310531
<b>Brand</b>	MKW
<b>Model</b>	UT B3 / SFT 350
<b>Manufacturer</b>	MKW
<b>Condition</b>	good
<b>Year</b>	2008
<b>Incoterm</b>	Load On Truck
<b>Cylinders Condition</b>	damage_free
<b>Under Power</b>	No
<b>Still in production</b>	No
<b>Test possible</b>	No
<b>Complete and in working condition</b>	Yes
<b>Availability</b>	
<b>Counter</b>	
<b>Machine number</b>	

## Description

Mod. Rapid UT -12 B3  
Automatic Collator Type MKW RAPID UT / B3 / GS

- With 12 stations, UT-Belt-Conveyor-Table
- High-Pile version with max. 70 cm stacking height
- Paper weights up to 1.000 g/m<sup>2</sup> possible
- Single sheets, folded sheets (signatures), carton, plastic foils, ...
- Belt conveyor transport table for continuous sheet transport
- Belt conveyor table radially adjustable for optimal sheet delivery
- Adjustable tilt suckers for optimal taking up of sheets
- Pressure-vacuum pump in sound-absorbing casing
- Air blast mechanism with dosing automatic front blowers
- Air blast mechanism with dosing height-adjustable lateral blowers
- Air blast mechanism with dosing "stretching"-air
- Electronic machine control by IPC
- High quality 12,1" colour display (TFT) for reliable and clear operation
- Self-measuring electronic missing- and double-sheetcontrol per station

Missing- and double-sheet control parametrizable by the operating

- Automatic repetition in case of missing sheet
- Tandem function for double use 2 : 1
- Dynamic station selection for optimized preloading for the next job
- Automatic switching on/off of selected stations
- Inserting-function at any station possible
- Alternating insert function at any station possible
- Alternating cardboard function at any station possible
- Speed display infinitely variable
- In advance counter with adjustable stopover for set number and stop time
- Production counter with emptying of the transport table after attained number of sets
- Maintenance counter indicating the service intervals
- Total counter indicating the total running output
- Special count functions with possibility for combination
- Delivery control system for criss-cross delivery with adjustable set interval
- Storage facility for repeat jobs
- Transport table lighting with energy-saving fluorescent lamps
- Test programs for service- and maintenance work
- Energy saving system with automatic switching on/off of all drives
- Automatic switching on/off of the necessary Pressure-Vacuum pumps
- Jam control above transport table
- Hand-feed station at left side HV 3(incl. automatic station-control in case of operating error

Stitching and Folding unit with front trimming Type MKW SFT 350

- Open format from 10 x 14 cm up to 35 x 50 cm
- Rapid format adjustment with counter display for paper guidance
- Stitching extendable to 6 stitcher heads for spine stitching
- Easy adjustment facility for "Head"-stitching
- Single chopper fold with adjustable folding rollers
- Adjustable folding rollers with pressing mechanism
- Adjustable pressing mechanism by rollers
- Front trimming unit with 6,0 cm minimum size by upper and lower knives
- Jam control unit safeguarding the trimming unit
- High endurance of knives by DURITAN
- Knife change to be carried out fast and easy
- Text display for operation and monitoring
- Brochure delivery with electronic adjustable stack separation
- Energy saving system with automatic switching on/off of all drives
- Motorized fast-format-adjustment for paper guidance
- Motorized fast-format-adjustment for machine frame1

Change parts set for calendar and head stitching KSCH

- 1 Blast-air at front trimming knife BLMS
- 1 Control unit for stitcher staples, 4-up HKLE / 4
- 1 Preparation of SFT for connection of a T20 unit VBT20
- 2 Flat-staple stitcher heads 43/6 (Hohner)

## Technical details

<b>Max. book size</b>	350x500 mm
<b>HS Code</b>	84439959 HS Codes Classification of Other

**PRICE: Upon request**

## Images

