



Offer 354582

## **NAGEL FOLDNAK 8 from 2003**

Gatherer Collators

### **Offer Details**

<b>Offer Number</b>	354582
<b>Brand</b>	NAGEL
<b>Model</b>	Foldnak 8
<b>Manufacturer</b>	NAGEL
<b>Condition</b>	Good
<b>Year</b>	2003
<b>Incoterm</b>	EX Works
<b>Cylinders Condition</b>	
<b>Under Power</b>	No
<b>Still in production</b>	No
<b>Test possible</b>	No
<b>Complete and in working condition</b>	Yes
<b>Availability</b>	Immediately
<b>Counter</b>	
<b>Machine number</b>	

<p><b>Description</b></p>	<p>Bookletmaking in one pass, automatic release, smooth butt device, magazine and missing staple control, counter, movable staple turner, staple and ring staples in the same stapling head, format change in approx. 1 min!  On-Line corner stapling.  Booklet size up to 100 pages (80 g/m<sup>2</sup> paper)  Paper formats DIN A5, A4, A3, A3+, SRA3 (and any intermediate format)  Booklet formats DIN A4, A5, A6 (and any intermediate format)  Cover cardboard up to approx. 300 g/m<sup>2</sup>  Stapling heads 2(option: 4 maximum) with magazine control.  No adjustment for paper thickness required.  Stapling head positions in mm 30 x 50 x 80 x 50 x 30  Staple clincher (movable clincher)  Staple types Ring staples Ri 26/6  Staples 26/6, 26/8, 26/8S  Production capacity up to 2,000 booklets/hour  Shingle delivery electric, adjustable stroke  Block stapling on-line, up to 40 sheets  Connection 230 V, 50 Hz, 300 W  Weight 109 kg  Dimensions in mm H 870 x W 610 x D 1270 ( D 560 with folded up stream delivery)  Front trimmer  The pressing station before trimming ensures flat brochures with a sharp fold, overhead conveyor belts ensure reliable paper transport even of "thick" booklets.  Adjustable belt tracking ensures that the booklet is always precisely positioned against the stop, even when the booklet is fed in at an angle, format changeover in 30 seconds.  Front trimmer  The pressing station before trimming ensures flat brochures with a sharp fold, overhead conveyor belts ensure reliable paper transport even of "thick" booklets.  Adjustable belt tracking ensures that the booklet is always precisely positioned against the stop, even when the booklet is fed in at an angle, format changeover in 30 seconds.  Booklet size up to 100 pages (80 g/m<sup>2</sup> paper)  Booklet formats A4, A5, A6 (and any intermediate format), min 10 cm  Cover everything the Foldnak makes  Production capacity up to 2,000 booklets/hour  Connection 230 V, 50 Hz, 600 W  Weight 160 kg  Dimensions in mm (H x W x D) H 870 x W 550 x D 1590 ( D960 with folded up delivery)</p>
---------------------------	---

**Technical details**

<p><b>Max. distance betw. staple centers</b></p>	<p>30 x 50 x 80 x 50 x 30 mm</p>
<p><b>HS Code</b></p>	<p>84439959 HS Codes Classification of Other</p>

**PRICE: Upon request**

**Images**

